


Model G-2 Gas Cell – 5cm or 10cm



The G-2 Gas Cell is for analysis of pure gases or gas mixtures in which component gases are present at concentrations of 5 percent or more. The G-2 Gas Cell has a fixed pathlength of either 5cm or 10cm. The windows of the cell are easy to remove for cleaning, making the G-2 ideal for working with wet or reactive gases that have a tendency to fog or attack the window material.

The G-2 cell comes completely assembled in a stainless steel universal 2" x 3" mount. It includes a Pyrex® glass body, silicon rubber or Viton® gaskets and a choice of optical materials. The window size is 38mm x 6mm. The clear aperture of the cell is 32mm.

The G-2 is available in a variety of optical window materials, two pathlengths and a choice of ground tapered endings with 12/30 joints (TPE), plain endings joints (PTE) or ground semi-ball joints with 18/9 joints (SBJ). (See notes beneath chart and diagram).

JASCO

JASCO France
17 Rue des Cerisiers
91090 Lisses - France

Tél. 01 64 97 09 60 Fax: 01 85 09 90 76
email: jascofrance@jascofrance.fr

0008A-715 Model G-2 Gas Cell 5cm with NaCl windows and Plain Tubular Endings (PTE) with 12/30 joints 5 cm Plain Tubular Endings (PTE) with 12/30 joints

0008A-716 Model G-2 Gas Cell 5cm with NaCl windows and Semi Ball (SBJ) Endings with 18/9 joints 5 cm Semi Ball (SBJ) Endings with 18/9 joints

0008A-714 Model G-2 Gas Cell 5cm with NaCl windows and Tapered Endings (TPE) with 12/30 joints 5 cm Tapered Endings (TPE) with 12/30 joints

0008A-711 Model G-2 Gas Cell 10cm with NaCl windows and Plain Tubular Endings (PTE) with 12/30 joints 10 cm Plain Tubular Endings (PTE) with 12/30 joints

0008A-712 Model G-2 Gas Cell 10cm with NaCl windows and Semi Ball (SBJ) Endings with 18/9 joints 10 cm Semi Ball (SBJ) Endings with 18/9 joints

0008A-710 Model G-2 Gas Cell 10cm with NaCl windows and Tapered Endings (TPE) with 12/30 joints 10 cm Tapered Endings (TPE) with 12/30 joints

0008B-720 Model G-2 Gas Cell 5cm with KCl windows and Plain Tubular Endings (PTE) with 12/30 joints 5 cm Plain Tubular Endings (PTE) with 12/30 joints

0008B-721 Model G-2 Gas Cell 5cm with KCl windows and Semi Ball (SBJ) Endings with 18/9 joints 5 cm Semi Ball (SBJ) Endings with 18/9 joints

0008B-719 Model G-2 Gas Cell 5cm with KCl windows and Tapered Endings (TPE) with 12/30 joints 5 cm Tapered Endings (TPE) with 12/30 joints

0008B-717 Model G-2 Gas Cell 10cm with KCl windows and Plain Tubular Endings (PTE) with 12/30 joints 10 cm Plain Tubular Endings (PTE) with 12/30 joints

0008B-718 Model G-2 Gas Cell 10cm with KCl windows and Semi Ball (SBJ) Endings with 18/9 joints 10 cm Semi Ball (SBJ) Endings with 18/9 joints

0008B-713 Model G-2 Gas Cell 10cm with KCl windows and Tapered Endings (TPE) with 12/30 joints 10 cm Tapered Endings (TPE) with 12/30 joints

0008C-726 Model G-2 Gas Cell 5cm with KBr windows and Plain Tubular Endings (PTE) with 12/30 joints 5 cm Plain Tubular Endings (PTE) with 12/30 joints

0008C-727 Model G-2 Gas Cell 5cm with KBr windows and Semi Ball (SBJ) Endings with 18/9 joints 5 cm Semi Ball (SBJ) Endings with 18/9 joints

0008C-725 Model G-2 Gas Cell 5cm with KBr windows and Tapered Endings (TPE) with 12/30 joints 5 cm Tapered Endings (TPE) with 12/30 joints

0008C-723 Model G-2 Gas Cell 10cm with KBr windows and Plain Tubular Endings (PTE) with 12/30 joints 10 cm Plain Tubular Endings (PTE) with 12/30 joints

0008C-724 Model G-2 Gas Cell 10cm with KBr windows and Semi Ball (SBJ) Endings with 18/9 joints 10 cm Semi Ball (SBJ) Endings with 18/9 joints



JASCO France
 17 Rue des Cerisiers
 91090 Lisses - France

Tél. 01 64 97 09 60 Fax: 01 85 09 90 76
 email: jascofrance@jascofrance.fr

0008C-722 Model G-2 Gas Cell 10cm with KBr windows and Tapered Endings (TPE) with 12/30 joints 10 cm Tapered Endings (TPE) with 12/30 joints

0008D-732 Model G-2 Gas Cell 5cm with CaF2 windows and Plain Tubular Endings (PTE) with 12/30 joints 5 cm Plain Tubular Endings (PTE) with 12/30 joints

0008D-733 Model G-2 Gas Cell 5cm with CaF2 windows and Semi Ball (SBJ) Endings with 18/9 joints 5 cm Semi Ball (SBJ) Endings with 18/9 joints

0008D-731 Model G-2 Gas Cell 5cm with CaF2 windows and Tapered Endings (TPE) with 12/30 joints 5 cm Tapered Endings (TPE) with 12/30 joints

0008D-729 Model G-2 Gas Cell 10cm with CaF2 windows and Plain Tubular Endings (PTE) with 12/30 joints 10 cm Plain Tubular Endings (PTE) with 12/30 joints

0008D-730 Model G-2 Gas Cell 10cm with CaF2 windows and Semi Ball (SBJ) Endings with 18/9 joints 10 cm Semi Ball (SBJ) Endings with 18/9 joints

0008D-728 Model G-2 Gas Cell 10cm with CaF2 windows and Tapered Endings (TPE) with 12/30 joints 10 cm Tapered Endings (TPE) with 12/30 joints

0008E-739 Model G-2 Gas Cell 5cm with BaF2 windows and Plain Tubular Endings (PTE) with 12/30 joints 5 cm Plain Tubular Endings (PTE) with 12/30 joints



JASCO France
17 Rue des Cerisiers
91090 Lisses - France

Tél. 01 64 97 09 60 Fax: 01 85 09 90 76
email: jascofrance@jascofrance.fr